	Application No.	Applicant(s)
Notice of Allowability	09/682,765	JANICEK ET AL.
	Examiner	Art Unit
	Karl D. Easthom	2832
The MAILING DATE of this communication appear All claims being allowable, PROSECUTION ON THE MERITS IS (herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT Right of the Office or upon petition by the applicant. See 37 CFR 1.313 1. This communication is responsive to the 3/11/05 response.  2. The allowed claim(s) is/are 1-10,22 and 23.  3. The drawings filed on 16 October 2001 are accepted by the	OR REMAINS) CLOSED in the or other appropriate communic GHTS. This application is subject and MPEP 1308.	is application. If not included cation will be mailed in due course. <b>THIS</b>
4. Acknowledgment is made of a claim for foreign priority units a) All b) Some* c) None of the:  1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)).  * Certified copies not received:  Applicant has THREE MONTHS FROM THE "MAILING DATE" of noted below. Failure to timely comply will result in ABANDONMETHIS THREE-MONTH PERIOD IS NOT EXTENDABLE.  5. A SUBSTITUTE OATH OR DECLARATION must be submittationally in the submittance of the priority documents have a submittance of the priority documents	been received. been received in Application Note this communication to file a sent of this application.  Steed. Note the attached EXAMIS reason(s) why the oath or desired.	No I this national stage application from the reply complying with the requirements  NER'S AMENDMENT or NOTICE OF
<ul> <li>6. CORRECTED DRAWINGS ( as "replacement sheets") must (a) including changes required by the Notice of Draftspersor 1) hereto or 2) to Paper No./Mail Date</li> <li>(b) including changes required by the attached Examiner's Paper No./Mail Date</li> <li>Identifying indicia such as the application number (see 37 CFR 1.8 each sheet. Replacement sheet(s) should be labeled as such in the 7. DEPOSIT OF and/or INFORMATION about the depose attached Examiner's comment regarding REQUIREMENT F.</li> </ul>	Amendment / Comment or in 34(c)) should be written on the de header according to 37 CFR 1 it of BIOLOGICAL MATERI	the Office action of framings in the front (not the back) of .121(d).  AL must be submitted. Note the
Attachment(s)  1. Notice of References Cited (PTO-892)  2. Notice of Draftperson's Patent Drawing Review (PTO-948)  3. Information Disclosure Statements (PTO-1449 or PTO/SB/08 Paper No./Mail Date  4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ⊠ Interview Sumr Paper No./Ma 3), 7. ⊠ Examiner's Am	il Date <u>4/6/5</u> .

Application/Control Number: 09/682,765 Page 2

Art Unit: 2832

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR

1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the

payment of the issue fee. Authorization for this examiner's amendment was given in a

telephone interview with Theodore Shiells on 4/6/5

The application has been amended as follows:

Claims 11-21 are cancelled as drawn to a nonelected invention.

2. The following is an examiner's statement of reasons for allowance: Primarily as argued by applicant. It is noted that claim 1 recites "an electrically isolated plug" and elsewhere claims "lockable electrically isolated plug", while the preamble, line 1 recites "both nonlocking-type electrically isolated plugs and lockable-type electrically isolated plugs". It is here determined that the lockable electrically isolated plugs is clear as the same as a lockable-type electrically isolated plug, and that electrically isolated plugs refers to either of the lockable or nonlocking plugs. Claim 1 reciting sockets further being asymmetrical means that one of the sockets lacks

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

any symmetry comporting with applicant's argument that the Kodama sockets are symmetrical.

Art Unit: 2832

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Karl D. Easthom whose telephone number is (571) 272-1989. The examiner can normally be reached on M-Th, 5:30AM-4:00PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Elvin Enad can be reached on (571) 272-1990. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Karl D Easthom Primary Examiner Art Unit 2832

**KDE**